

Endotracheal Intubation

Endotracheal Intubation

1. Equipment

- Suction
- Ambu bag with O2, full flow
- ET tube w/ syringe, tested, stylet loaded, lubricated
- Backup ET tube
- Primary laryngoscope
- Backup laryngoscope
- Bougie
- Colorimetric CO2 detector
- ET CO2 monitor
- ETT holder or tape
- Airway cart
- Ventilator
- Surgical Airway Kit

Common RSI Medications	
Etomidate	0.3mg/kg
Ketamine	1-2mg/kg
Propofol	2mg/kg
Rocuronium	1.2mg/kg
Succinylcholine	1.5mg/kg
Vecuronium	0.15mg/kg

2. Patient

- Assess Airway
 - Anatomy, Dentures, Neck ROM
- Assess Hemodynamics, push dose/vasopressors
- Pre-oxygenation and Apneic Oxygenation
- IV access
- Pulse Ox, BP, and Cardiac Monitoring
- Position Patient and Bed height

Vent Settings
A/C Mode
Vt: 6mL/kg IBW
Rate: 12-30
PEEP: 5-24
FiO2: 100%

3. Team Preparation

- Primary and backup intubator
- Attending Physician
- Nurse and RT
- Eye protection, Mask/respirator, gloves, consider gown

4. Post Intubation

- ET Tube Depth: _____ cm at the Teeth/Gums
- STAT Chest X-ray
- Order Sedation and Pain medication infusions
- Set Ventilator, place order for Mechanical Ventilation
- Order VBG in 30 minutes, wean FiO2 to SpO2 of 92%



1. Equipment

- Suction
- Ambu bag with O2, full flow
- ET tube w/ syringe, tested, stylet loaded, lubricated
- Backup ET tube
- Primary laryngoscope
- Backup laryngoscope
- Bougie
- Colorimetric CO2 detector
- ET CO2 monitor
- ETT holder or tape
- Airway cart
- Ventilator
- Surgical Airway Kit

Common RSI Medications	
Etomidate	0.3mg/kg
Ketamine	1-2mg/kg
Propofol	2mg/kg
Rocuronium	1.2mg/kg
Succinylcholine	1.5mg/kg
Vecuronium	0.15mg/kg

2. Patient

- Assess Airway
 - Anatomy, Dentures, Neck ROM
- Assess Hemodynamics, push dose/vasopressors
- Pre-oxygenation and Apneic Oxygenation
- IV access
- Pulse Ox, BP, and Cardiac Monitoring
- Position Patient and Bed height

Vent Settings
A/C Mode
Vt: 6mL/kg IBW
Rate: 12-30
PEEP: 5-24
FiO2: 100%

3. Team Preparation

- Primary and backup intubator
- Attending Physician
- Nurse and RT
- Eye protection, Mask/respirator, gloves, consider gown

4. Post Intubation

- ET Tube Depth: _____ cm at the Teeth/Gums
- STAT Chest X-ray
- Order Sedation and Pain medication infusions
- Set Ventilator, place order for Mechanical Ventilation
- Order VBG in 30 minutes, wean FiO2 to SpO2 of 92%



Endotracheal Intubation

Endotracheal Intubation

1. Equipment

- Suction
- Ambu bag with O2, full flow
- ET tube w/ syringe, tested, stylet loaded, lubricated
- Backup ET tube
- Primary laryngoscope
- Backup laryngoscope
- Bougie
- Colorimetric CO2 detector
- ET CO2 monitor
- ETT holder or tape
- Airway cart
- Ventilator
- Surgical Airway Kit

Common RSI Medications	
Etomidate	0.3mg/kg
Ketamine	1-2mg/kg
Propofol	2mg/kg
Rocuronium	1.2mg/kg
Succinylcholine	1.5mg/kg
Vecuronium	0.15mg/kg

2. Patient

- Assess Airway
 - Anatomy, Dentures, Neck ROM
- Assess Hemodynamics, push dose/vasopressors
- Pre-oxygenation and Apneic Oxygenation
- IV access
- Pulse Ox, BP, and Cardiac Monitoring
- Position Patient and Bed height

Vent Settings
A/C Mode
Vt: 6mL/kg IBW
Rate: 12-30
PEEP: 5-24
FiO2: 100%

3. Team Preparation

- Primary and backup intubator
- Attending Physician
- Nurse and RT
- Eye protection, Mask/respirator, gloves, consider gown

4. Post Intubation

- ET Tube Depth: _____ cm at the Teeth/Gums
- STAT Chest X-ray
- Order Sedation and Pain medication infusions
- Set Ventilator, place order for Mechanical Ventilation
- Order VBG in 30 minutes, wean FiO2 to SpO2 of 92%



1. Equipment

- Suction
- Ambu bag with O2, full flow
- ET tube w/ syringe, tested, stylet loaded, lubricated
- Backup ET tube
- Primary laryngoscope
- Backup laryngoscope
- Bougie
- Colorimetric CO2 detector
- ET CO2 monitor
- ETT holder or tape
- Airway cart
- Ventilator
- Surgical Airway Kit

Common RSI Medications	
Etomidate	0.3mg/kg
Ketamine	1-2mg/kg
Propofol	2mg/kg
Rocuronium	1.2mg/kg
Succinylcholine	1.5mg/kg
Vecuronium	0.15mg/kg

2. Patient

- Assess Airway
 - Anatomy, Dentures, Neck ROM
- Assess Hemodynamics, push dose/vasopressors
- Pre-oxygenation and Apneic Oxygenation
- IV access
- Pulse Ox, BP, and Cardiac Monitoring
- Position Patient and Bed height

Vent Settings
A/C Mode
Vt: 6mL/kg IBW
Rate: 12-30
PEEP: 5-24
FiO2: 100%

3. Team Preparation

- Primary and backup intubator
- Attending Physician
- Nurse and RT
- Eye protection, Mask/respirator, gloves, consider gown

4. Post Intubation

- ET Tube Depth: _____ cm at the Teeth/Gums
- STAT Chest X-ray
- Order Sedation and Pain medication infusions
- Set Ventilator, place order for Mechanical Ventilation
- Order VBG in 30 minutes, wean FiO2 to SpO2 of 92%

